

## **LOCAL STAKEHOLDER CONSULTATION REVIEW**

**Project Name: Energy Efficient Cook Stoves for Siaya Communities, Kenya**

**Project ID: GS879**

**Review Version: 1.0**

**Date of Submission: 18<sup>th</sup> June 2010**

**Date of review: 30<sup>th</sup> June 2010**



SECTION B	RESPONSE
1. Please ensure that the invitations to stakeholders are conducted in a highly proactive way. The large percentage of unconfirmed invitations indicates that more follow-up was required. Please keep this in mind in preparation of future consultations. 2. Please ensure that all invitations are sent out at least 2 weeks before meeting for future projects.	

SECTION D	RESPONSE
1. Please use appropriate parameters for the following indicators: <ul style="list-style-type: none"> <li>• Livelihood of the poor</li> <li>• Human and institutional capacity</li> </ul> Refer to Annex I of the toolkit for more guidance on appropriate parameters. 2. Please note that all indicators scored positive will require monitoring. Please ensure that these indicators will be monitored tangibly. 3. Please provide sources mentioned for indicator “livelihood of the poor”. 4. Please note that Wikipedia cannot be used as a credible source. 5. Please explain if there is going to be any pollution due to construction of stoves.	

SECTION F	RESPONSE
1. Please specify the location in which the LSC document will be made public during the local stakeholder feedback round 2. Please let us know when feedback round begins so that we can make the links to the above documents public on the GS Registry. 3. Lastly, GS would like to thank you for presenting a detailed and well-organized LSC.	