

NON-PERMANENCE RISK REPORT REFORESTATION AND RESTORATION OF DEGRADED MANGROVE LANDS, SUSTAINABLE LIVELIHOODS AND COMMUNITY DEVELOPMENT IN MYANMAR



Document Prepared By Worldview International Foundation

Project Title	Reforestation and Restoration of degraded mangrove lands, sustainable livelihood and community development in Myanmar
Version	2.0
Date of Issue	26-September-2019
Project ID	1764
Monitoring Period	15-June-2018 to 14-June-2019
Prepared By	Worldview International Foundation (WIF)
Contact	No.70,Yaw Min Gyi Street, Dagon Township, Yangon, Myanmar Tel : (+95-1) 375292, Email : arne@worldview.foundation

Table of Contents

1 Internal Risk..... 3

 1.1 Project Management..... 3

 1.2 Financial Viability 5

 1.3 Opportunity Cost 5

 1.4 Project Longevity 8

2 External Risk 9

 2.1 Land Tenure and Resource Access Impacts 9

 2.2 Community Engagement 10

 2.3 Political Risk..... 13

3 Natural Risk 14

 3.1 Natural Risk - Fire 15

 3.1.1 Significance 15

 3.1.2 Likelihood..... 15

 3.1.3 Score (LS)..... 15

 3.1.4 Mitigation 16

 3.2 Natural Risk – Pest & Disease outbreaks 16

 3.2.1 Significance 16

 3.2.2 Likelihood..... 16

 3.2.3 Score (LS)..... 16

 3.2.4 Mitigation 17

 3.3 Natural Risk – Extreme Weather 17

 3.3.1 Significance 17

 3.3.2 Likelihood..... 21

 3.3.3 Score (LS)..... 22

 3.3.4 Mitigation 23

 3.4 Natural Risk - Earthquakes 23

 3.4.1 Significance 26

 3.4.2 Likelihood..... 26

 3.4.3 Score (LS)..... 26

 3.4.4 Mitigation 26

 3.5 Natural Risk - Tsunami 26

 3.5.1 Significance 26

 3.5.2 Likelihood..... 27

 3.5.3 Score (LS)..... 27

 3.5.4 Mitigation 27

1 INTERNAL RISK

1.1 Project Management

The application of each risk factor to the project is explained below:

- a) The species identified for this reforestation project are *Rhizophora mucronata*, *Rhizophora apiculata*, *Bruguiera gymnorrhiza*, *Bruguiera cylindrica*, *Bruguiera sexangula* and *Ceriops tagal*. These species are naturally occurring mangrove species in Myanmar. World Wildlife Fund (WWF) has documented that these species are distributed in the country predominantly in three regions: the Ayeyarwady, Rakhine and Taninthayi¹ (Annex 1). The risk rating for this factor is 0. Thus no change since validation.

According to WWF, the mangrove flora consists of three separate regions: the Rakhine mangroves, Irrawaddy mangroves, and Taninthayi mangroves. The Rakhine mangroves are made up primarily of *Rhizophora mucronata*, *R. candelria*, *Sonneratia spp.*, *Kandelia rheedii*, *Bruguiera spp.*, *Xylocarpus granatum*, *X. moluccensis*, *Nipa fruticans*, and *Phoenix paludosa*. The Irrawaddy mangroves consist of *Rhizophora mucronata*, *R. conjugata*, *Bruguiera parviflora*, *B. gymnorrhiza*, *B. cylindrica*, *Heritiera formes*, *Sonneratia apetala*, *S. griffithii*, *S. caseolaris*, *Xylocarpus granatum*, *X. molluccensis*, *Ceiops roxburghiana*, *C. mimosoides*, *Avicennia officinalis*, *Kanddelia rheedii*, and *Excoecaria agallocha*. Finally, the *Taninthayi mangroves* contain *Rhizophora spp.*, *Sonneratia caseolaris*, *Ceriops tagal*, *Xyloxarpus granatum*, *Avicennia officinalis*, and *Bruguiera spp.*

- b) PP get the support of the Forest Department officials for the regular monitoring of the area for encroachment. The agreement with the village tracts also ensure sufficient staff be able to take care the plants and in this manner the encroachment of outside players that could intentionally or unintentionally damage the planted areas is avoided. Agreements with the village tract chairmen of each village are provided as evidence. The risk rating for this factor is 0.
- c) The management team responsible for day-to-day activities is from Worldview International Foundation (WIF). Their country office is in Yangon and their field office is in Pathein. Mr Bo Ni, the Managing Director is the former Director of the Watershed Management Division of the Forest Department with over 40 years of experience. Mr. Win Maung, the Project Director is the former Director of the Forestry Department. He has over 30 years working experience in mangrove conservation as a government official; researcher and Project Manager of NGO/UN-LIFT projects. Mr. Maung Maung Pyone who is the Assistant manager has over 25 years experience in forestry and mangrove restoration with specialty in mapping, GPS locations and social mobilization. Professor Htay Aung is the scientific advisor and field controller in charge of liaison with Pathein University and local communities. He has over 20 years experience in marine science research in the project area. Mr. S. Anuradha Vanniarachchy as the main carbon consultant will not be involved in the daily management of the project but provide technical assistance for carbon related measurements. Overall supervisory is done by Dr. Arne Fjortoft, Secretary General of WIF. Annex 2 describes the capacity and experience of the organization and staff to manage the project area. The risk rating for this factor is 0. Thus no change since validation.

¹ <https://www.worldwildlife.org/ecoregions/im1404>

- d) The management teams are located in the country and are able to reach the project within a 4 hour drive from the Yangon. Country office is located in the Yangon and the branch office is within the project area. Contact information for the management team is presented in the Project Description (PD). The risk rating for this factor is 0. Thus no change since validation.
- e) Suraj A. Vanniarachchy is involved in the project design and development as well as the monitoring. Suraj is a AFOLU carbon project development specialist for CDM, VCS and ACR projects in Southeast Asia and involved in REDD+ project design and development in the region hence have the expertise. He was and will be assisted by Aung Mynt (GIS and mapping expert) for the monitoring by providing updated maps of the project area. The risk rating for this factor is -2.
- f) WIF has taken several adaptive measures to mitigate project management risks. Their staff consist of ex-forest department officials who were having over 30 years of experience in mangrove planting and management. Their younger staff are graduates from the University of Forestry who have sound knowledge on forest management practices. The species selection was also done after a 3 year research on trial plots. WIF maintains a surplus of planting material (seedlings and propagules) for patching during the following years after the initial planting. Joint operations conducted with the Forest Department is also considered an adaptive management practice.

Total project Management risk rating is -4.

Project Management		
a)	Species planted (where applicable) associated with more than 25% of the stocks on which GHG credits have previously been issued are not native or proven to be adapted to the same or similar agro-ecological zone(s) in which the project is located.	0
b)	Ongoing enforcement to prevent encroachment by outside actors is required to protect more than 50% of stocks on which GHG credits have previously been issued.	0
c)	Management team does not include individuals with significant experience in all skills necessary to successfully undertake all project activities (ie, any area of required experience is not covered by at least one individual with at least 5 years experience in the area).	0
d)	Management team does not maintain a presence in the country or is located more than a day of travel from the project site, considering all parcels or polygons in the project area.	0
e)	Mitigation: Management team includes individuals with significant experience Management team includes individuals with significant experience in AFOLU project design and implementation, carbon accounting and reporting (eg, individuals who have successfully managed projects through validation, verification and issuance of GHG credits) under the VCS Program or other approved GHG programs.	-2
f)	Mitigation: Adaptive management plan in place	-2

Total Project Management [a + b + c + d + e + f]	-4

1.2 Financial Viability

The proposed project is implemented by Worldview International Foundation (WIF). WIF is an INGO and other partners involved are the University of Pathein and local communities from three village tracts. There is no financial return from mangrove reforestation other than the carbon credit benefits. Therefore the internal rate of return (IRR) is not applicable for this non-profit project activity. However the cash flow breakeven point is greater than 10 years hence the section Financial Viability risk is calculated to be 3.

Total Financial Viability risk is 3.

Financial Viability		
Q	How many years does it take for the cumulative cashflow to break even?	a)
Q	What percentage of funding is needed to cover the total cash out before the project breaks even has been secured?	
a)	Project cash flow breakeven point is greater than 10 years from the current risk assessment	3
b)	Project cash flow breakeven point is between 7 and up to less than 10 years from the current risk assessment	0
c)	Project cash flow breakeven point between 4 and up to less than 7 years from the current risk assessment	0
d)	Project cash flow breakeven point is less than 4 years from the current risk assessment	0
e)	Project has secured less than 15% of funding needed to cover the total cash out before the project reaches breakeven	
f)	Project has secured 15% to less than 40% of funding needed to cover the total cash out required before the project reaches breakeven	
g)	Project has secured 40% to less than 80% of funding needed to cover the total cash out required before the project reaches breakeven	
h)	Project has secured 80% or more of funding needed to cover the total cash out before the project reaches breakeven	
i)	Mitigation: Project has available as callable financial resources at least 50% of total cash out before project reaches breakeven	
Total Financial Viability [(a, b, c or d) + (e, f, g or h) + i]		3

1.3 Opportunity Cost

According to the additionality assessment, the 2 plausible alternative land use scenarios for the project area are as follows:

1. Continuation of the pre-project land use which is the degraded and abandoned lands
2. Mangrove reforestation & restoration of the land within the project boundary performed without being registered as a VCS ARR project

The following is a description of the net positive community impacts of the project. (Source: VCS PD of the project): The aim is to increase family income during the next 5 years. This will be done in close consultation with the people in the areas. According to the socio-economic survey conducted by WIF and University of Pathein, there are 619 households in Shwe thaun gyan city (Magyi Township) and the total population is approximately 3000. There were 1034 households and the population in Thaegone is around 4550. Thabawkan had 633 houses and the population was 3283. These communities have been depending on mangroves for their food production and fuel-wood consumption. Therefore during the stakeholder meetings it was discussed and agreed to introduce alternative livelihoods and solutions for their fuel need.

A series of stakeholder meetings were held in all townships together with village communities, village leaders, government officials and university academics. The objectives of the project, planned activities and the benefits of carbon credits were presented to the community. The importance of protecting the mangroves and their role in carbon sequestration was explained in different ways. Moreover, schools have been engaged in art competitions and creation of nurseries. These paintings were used as a media of communication in promoting the importance of mangroves.

Figure 1: Meetings during the stakeholder consultation



Figure 2: Children drawing and presenting their paintings during the art competitions



There is no displacement occurring due to the project activity. Therefore surrounding communities have no objection in this project. In fact they have positive attitudes towards the ARR VCS project activity due to following reasons:

(1) Increase their income

This project is designed specially targeting the local community. The objective of the Project Proponent being an INGO is sustainable development and natural resource management of the project area. Therefore the project has embraced any villager who would like to work on the basis of this model. Low income families in the area will get more opportunities to increase their income. This will be a support for their livelihood.

(2) New employment opportunities

Skilled and unskilled labour will be needed for this project. The project creates direct employment opportunities in the establishment, maintenance and monitoring the mangroves in the project/villages area. Previously many of youth in these villages have gone to neighbouring districts for income generating employment. As a result in many cases only the children and older generation remained on their land. Reportedly due to this many youth stopped going to school at a young age. This situation has good potential to change due to newly created employment provided by the project. Youth would have the opportunity to both work and study to reach their potential.

The project will promote a working family model where both men and women can actively participate in the project. There are sufficient opportunities where women can work in the project.

(3) Knowledge on silvicultural techniques

As identified in the barrier analysis planting mangroves needs proper silvicultural knowledge if the plants are to succeed in the long run. The project has experienced a survival rate of over 80% for the established plants. The project proponent and its staff have very good experience and knowledge of mangroves and will transfer it to the local communities.

(4) Infrastructure development & Change in lifestyle

WIF mobilized support based on the university's own priorities, with assistance to improve the university's library, support to upgrade its IT section, as well as scholarships to students to complete research on mangrove restoration, involving 42 students producing equal numbers of research papers. WIF also provided an International lecturer and trainer for 3 years. The university recommended one of their most knowledgeable and experienced professors with Ph.D. in marine science, as liaison officer to the project. Regular meetings were held at the university as well as at in the field. This has led to rewarding benefits for all stakeholders.

The same participatory approach was introduced with the communities around the first project site, as well as in the two new areas, with a number of meetings and consultations. Requests for help to repair schools buildings and establish flood control in a village affected by yearly flood, have been positively followed up. Public education on mangrove restoration and sustainable development has been implemented in all affected villages. The next phase is to develop livelihoods and promote sustainable development in all villages involved in project activities. Handicapped children have been provided medical support of obtaining artificial legs. Training of women entrepreneurs, establishment of oyster farm, initiative to start nypa sap production, virgin coconut oil and other products based on coal raw materials are underway. Regular meetings are held with village officials and the people in order to mobilise maximum participation. The final aim is to make everyone active partners and to demonstrate that the communities are better off with living trees in the area, than short sighted destruction of the living environment. VCS will in this extent be a major contribution to long time benefits for the participating communities.

Because this assessment indicates that the community impacts will be positive, the corresponding risk score is 0.

1.4 Project Longevity

WIF has signed legally binding contracts with the University of Patheingyi and Village tract committees for a period of 30 years. The contracts can be further extended for another 30 years and expand more. Three separate agreements between the Government of Myanmar and Project Participants (University of Patheingyi and Village Tract Committees) provide the commitment of mangrove restoration for over 100 years. The MoU signed between WIF and the Government of Myanmar (Forest Department) provide a legally binding commitment of 100 years for restoring and maintaining the lands. Therefore the scenario creates the legally binding commitment of WIF, University of Patheingyi and two village tract committees to restore and conserve the project area for 100 years. The relevant documents were reviewed by the DOE during validation and initial verification and verified to be true. No change since the validation.

The risk rating for this factor is 0.

Project Longevity		
Q	Does the project have a legally binding agreement that covers at least a 100 year period from the project start date?	Yes
Q	What is the project Longevity in years?	30
Q	Legal Agreement or requirement to continue management practice?	Yes
a)	Without legal agreement or requirement to continue the management practice	0

b)	With legal agreement or requirement to continue the management practice	15
Total Project Longevity		0
Note: Total may not be less than zero. Any project with a legally binding agreement that covers at least a 100 year period from the project start date will be assigned a score of zero. Any project with a project longevity of less than 30 years fails the risk assessment		
Total Internal Risk (PM + FV + OC + PL)		0

2 EXTERNAL RISK

2.1 Land Tenure and Resource Access Impacts

The lands that will be restored under the project belong to Magyi, Thabawkan and Thaegone village tracts. The ownership of these lands lies with the Government of Myanmar. The Government has given the lands of Magyi village tract to University of Pathien for a period of 30 years. Lands in Thabawkan and Thaegone have been given to their respective Village Tract Committees for a period of 30 years. This period can be extended for another 90 years. The University of Pathein and the Village Tract Committees of Thabawkan and Thaegone have agreements with WIF for the development of mangrove reforestation/restoration project. WIF, on behalf of University of Pathein and the Village Tract Committees of Thabawkan and Thaegone will develop the project as a forest carbon project and aim to register the project under the VCS standard. (Agreements between Government and the University and the Village Tract Committees of Thabawkan and Thaegone) and the MoU with WIF was provided during validation and will be provided during verification).

Therefore the ownership and use rights are held by different entities (b). However the project is protected by a legally binding commitment to continue management practices that protect carbon stocks over the length of the project crediting period.

Therefore total risk rating for Land Tenure is 5.

Land and resource tenure		
Q	Are the ownership and resource access/use rights held by the same of different entities?	Different
a)	Ownership and resource access/use rights are held by same entity(s)	0
b)	Ownership and resource access/use rights are held by different entity(s) (eg, land is government owned and the project proponent holds a lease or concession)	2
c)	In more than 5% of the project area, there exist disputes over land tenure or ownership	0
d)	There exist disputes over access/use rights (or overlapping rights)	0
e)	WRC projects unable to demonstrate that potential upstream and sea impacts that could undermine issued credits in the next 10 years are irrelevant or expected to be insignificant, or that there is a plan in place for effectively mitigating such impacts	5

f)	Mitigation: Project area is protected by legally binding commitment (eg, a conservation easement or protected area) to continue management practices that protect carbon stocks over the length of the project crediting period	-2
g)	Mitigation: Where disputes over land tenure, ownership or access/use rights exist, documented evidence is provided that projects have implemented activities to resolve the disputes or clarify overlapping claims	
Total Land Tenure [(a or b) + c + d + e + f +g]		5

2.2 Community Engagement

Lands belonging to the project have been categorized as severely degraded and not containing any forest by the Regional Ministry of Agriculture, Livestock, Natural Resources & Environment.

The project generates net positive impacts on the social and economic well-being of the local communities as mentioned in Section 1.3. The VCS PD provides further evidence and hence the risk rating for this mitigation factors is -5.

From February 2014 to November 2016, more 23 stakeholder consultation meetings were held in three village tracts. These were organized with the following 3 main objectives:

- Explain about the project to the local communities
- Discussion on formation of Environment and Mangrove Conservation Committees (EMCC) in each village tract and how to obtain the lands for the project from the Government
- Follow-up meetings on the formation of EMCCs.

Two stakeholder consultation meetings were held during 2018-2019.

Date	Participants	Points discussed	Location
10.1.2019	Village leader of Polaung, Win Maung (Project Manager of WIF) WIF staff 4 people 20 villagers from Polaung 20	- Observations on the mangroves established - Future plans for mangrove planting - villagers requested to increase the staff taken from their village and WIF agreed - Discussed about introducing efficient stove to reduce the usage of firewood consumption - Discussed about introducing Gliricidia species and villagers agreed to identify land for the plants	Polaung village

<p>5.7.2019</p>	<p>U Kan Tun (Assistant Director of Forest Department from Pathein) U Win Maung (Project Manager of WIF) Prof. Htay Aung (University of Pathein) WIF staff 4 people Village Leader of Wetthe, Village leader of Polaung Village leader of Thae Kyin village 50 villagers</p>	<p>- U Win Maung explained the aim of WIF and discussed about pros and cons of mangrove - Prof Aung explained the relationships of mangrove and aquatic animals - Q. if the project started, they can entry their forest for fishing and catching crab? A. yes, you can entry freely in this area. - Q. how to get firewood. A. we separated for firewood plantation. - Q. After project ended, how to protect their forest. - A. we draw management plan and try to get community forestry by legally.</p>	<p>Thae Kyin village</p>
-----------------	---	--	--------------------------



During the period of 2014 – 2019 the following community engagement activities were conducted – Evidence are provided in Annex 9.

INFRASTRUCTURE

1. Constructed flood gate to protect 65 families in MaGyi from yearly floods.
2. Supported clean water project for MaGyi by digging well, installing pump and pipes for 110 families (in cooperation with the village Buddhist Priest).
3. Repaired floors and roofs of broken school buildings.
4. Distributed solar lamps to all school going children.
5. Distributed rain coats and school bags to children from disadvantaged families.
6. Established computer lab with training to all schools in the project area with solar power panels.
7. Media Centre established for training children and youth in computer skills and English.
8. Scholarship for 20 girls in preparation for university enrolment. (No girls from the area have so far had the opportunity to enter university).
9. Established school nurseries with training to produce tree seedlings (10 species).
10. Essay competition and art competition in schools regarding climate, mangrove restoration and environment.
11. Established production and distribution of energy saving stoves.

12. Established energy forest (*Gliricidia sepium*) for easy access to renewable energy.

LIVELIHOODS

1. Started test production of nypa sap.
2. Established test production of oyster.
3. Provided training to 24 women in tailoring, natural coloring of textiles from mangrove species combined with advanced embroidery and tie dye training with marketing support.
4. Arranged training in Vietnam for 5 persons in establishment of crab hatchery and crab culture. Plans ready to start production in 2020.
5. Supported 60 women to establish income generating clam culture for sustainable livelihood income.
6. Imported cold-oil press from China for production of virgin coconut oil and other oils from renewable raw materials in the area. Training and production to start 2019 after electricity is available in the area.
7. Established bee production from mangrove trees with 4 bee hives plus training in 2019 as first phase of the project.
8. Completed planning to establish sea weed production in 2019 (large employment potential for this and other sea food/aquaculture in the pipeline). Estimated employment over 200.
9. Planned support to fishermen with establishment of ice plant to save 40% of catch before reaching the market.
10. Studied use of all available natural resources in the area to create maximum livelihoods with the aim of 100% income increase for the poorest 62% of the population (living below the poverty line) within the next 5 years.
11. Organized 6 months training with 2 classes of 40 people by EDNA (majority women) in establishing social enterprises as foundation for new business activities under control of the local population. A micro investment fund will assist in establishing these activities.
12. The population have benefitted from hiring and training of over 200 tree planters (70% women) for the mangrove restoration project. 19 charcoal producers have been retrained and employed in the project. They earn more than before. No more charcoal production in the area.
13. More sea food resources have been registered after mangrove restoration. The biggest impact is in the crab fisheries. When the project started, only 2 crab fishermen were active due to limited resources. Today, 24 fishermen are getting good catches.
14. The local population will benefit from carbon income (50% sharing of net proceeds) as a bonus to the communities for protecting the forest and taking part in sustainable development activities. A community development fund will start functioning in 2020 with first surplus from sale of carbon. The first issue of carbon in 2018 was from Pathein University area. WIF has supported Pathein University since 2012 with study grants and scholarships, research projects and infrastructure assistance. A marine protected area with sea grass, coral reefs with protection of endangered dugongs and sea turtles in the process of official approval for conservation in 2019.
15. Restored mangrove areas has brought back several endangered species, including wild elephants. Restoration of the degraded forest has improved bio diversity in the area. Establishment of the mangrove gene bank with research activities, presently with 34 species, will be completed with 64 species at end of 2019. The project is propagating *Bruguiera Hainesii* mangrove species (at the IUCN red list) for wider distribution.

Community Engagement		
a)	Less than 50 percent of households living within the project area who are reliant on the project area, have been consulted	0
b)	Less than 20 percent of households living within 20 km of the project boundary outside the project area, and who are reliant on the project area, have been consulted	0
c)	Mitigation: The project generates net positive impacts on the social and economic well-being of the local communities who derive livelihoods from the project area	-5
Total Community Engagement [a + b + c]		-5

Total Community Engagement Risk Factor is -5.

2.3 Political Risk

According to the historical record of the governance indicators as applied to Myanmar, the average score over the last five years is -1.08. The scores and calculations are presented in Annex 3 and a summary is presented in following table. The rating for this risk factor is 4.

The World Bank Institute Worldwide Governance Indicators are available at:

<https://info.worldbank.org/governance/wgi/#home>

Indicator	Scores					
	2013	2014	2015	2016	2017	5-year average
Voice and Accountability	-1.50	-1.40	-1.22	-0.80	-0.87	-1.16
Political Stability and Absence of Violence	-1.15	-1.10	-1.17	-0.80	-1.08	-1.06
Government Effectiveness	-1.51	-1.28	-1.24	-0.98	-1.05	-1.21
Regulatory Quality	-1.49	-1.39	-1.22	-0.87	-0.83	-1.16
Rule of Law	-1.23	-1.19	-1.24	-0.89	-0.95	-1.10
Control of Corruption	-1.00	-0.88	-0.84	-0.62	-0.56	-0.78
Annual mean	-1.31	-1.21	-1.16	-0.83	-0.89	-1.08

Source of data: World Bank

Political Risk		
Q	What is the country's calculated Governance score?	-1.46
a)	Governance score of less than -0.79	6
b)	Governance score of -0.79 to less than -0.32	0

c)	Governance score of -0.32 to less than 0.19	0
d)	Governance score of 0.19 to less than 0.82	0
e)	Governance score of 0.82 or higher	0
f)	<p>Mitigation: Country implementing REDD+ Readiness or other activities such as:</p> <ul style="list-style-type: none"> a) The country is receiving REDD+ Readiness funding from the FCPF, UN-REDD or other bilateral or multilateral donors b) The country is participating in the CCBA/CARE REDD+ Social and Environmental Standards Initiative c) The jurisdiction in which the project is located is participating in the Governors' Climate and Forest Taskforce d) The country has an established national FSC or PEFC standards body e) The country has an established DNA under the CDM and has at least one registered CDM A/R project 	-2
Total Political [(a, b, c, d or e) + f]		4

f) Myanmar is a UN-REDD partner country since December 2011. Myanmar received UN-REDD targeted support in 2013 to develop a REDD+ Readiness Roadmap and used this Roadmap to develop a funding proposal in November 2013 based on a full UN-REDD National Programme² (Annex 4). Myanmar has a DNA (Ministry of Environmental Conservation and Forestry). Therefore, the rating for this mitigation factors is -2.

Total Political Risk factor is 4.

3 NATURAL RISK

The following description was in the Non-Permanence Risk Report for the registration and 1st verification and have not changed since. There have not been reported any natural disasters during this verification period hence remains same.

As confirmed in the Fourth Report of the Intergovernmental Panel on Climate Change (IPCC), the increase in the mean temperature of the planet is a fact, and its effects are accelerating (IPCC, 2007d). These changes in the climate are seen worldwide and are translated into storms, hurricanes, floods, droughts, and heavy rains. These processes have repercussions on the dynamic of natural systems, especially on those components linked with human beings and their quality of life (Delgado *et al.*, 2004). Recent investigations confirm that in recent decades, the frequency and intensity of these events has increased in comparison with the first decades of the 20th century (Emanuel, 2005; Stern, 2007).

Myanmar is vulnerable to natural disasters such as flooding, drought, earthquakes, cyclones, and communicable and infectious disease outbreaks. Myanmar ranks as one of the most vulnerable countries to the effects of climate change and the impacts of natural disasters are expected to increase in the immediate future.

The country has made significant progress in its disaster management policies, plans, and procedures since 2008, when Cyclone Nargis impacted the country leaving devastation in its aftermath. The

² <http://www.unredd.net/regions-and-countries/asia-pacific/myanmar.html>

Government of Myanmar (GoM) has modified the government structure and created new authorities and plans to improve the effectiveness of disaster management at all levels³ (Annex 5).

The objectives of this section are:

- 1) To identify the principal natural phenomena that presents a risk for the implementation of the project
- 2) To determine the principal risk mitigation measures for the most important phenomena

Myanmar has a monsoon climate, which produces three main seasons, the summer, rainy, and winter seasons. Extreme temperatures are rare, but the directions of winds and depression bring rain. Although rain is heavy in the coastal areas during monsoon season, it seldom creates hardships⁴.

3.1 Natural Risk - Fire

3.1.1 Significance

Mangroves are grown in coastal saline or brackish water. The mangroves in the Ayeyarwady Region have not been affected by any forest fire in the past.

3.1.2 Likelihood

Since the ecosystems where mangroves are grown are not susceptible to forest fire, the risk of fire is not applicable to the project area.

3.1.3 Score (LS)

Natural Risk Score (LS)						
		Likelihood				
		Less than every 10 years	Every 10 to less than 25 years	Every 25 to less than 50 years	Every 50 to less than 100 years	Once every 100 years or more, or risk is not applicable to project area
Significance	Catastrophic (70% or more loss of carbon stocks)	FAIL	30	20	5	0
	Devastating (50% to less than 70% loss of carbon stocks)	30	20	5	2	0
	Major (25% to less than 50% loss of carbon stocks)	20	5	2	1	0
	Minor (5% to less than 25% loss of carbon stocks)	5	2	1	1	0
	Insignificant (less than 5% loss of carbon stocks) or transient (full recovery of lost carbon stocks expected within 10 years of any event)	2	1	1	0	0

³ <http://reliefweb.int/report/myanmar/myanmar-disaster-management-reference-handbook-2017>

⁴ <http://reliefweb.int/sites/reliefweb.int/files/resources/disaster-mgmt-ref-hdbk-burma.pdf>

Minor (5% to less than 25% loss of carbon stocks)	2	1	1	0	0
No Loss	0	0	0	0	0

3.1.4 Mitigation

Since the risk rating is 0, no mitigation activities are discussed here.

3.2 Natural Risk – Pest & Disease outbreaks

Pests and diseases are insects or pathogens that cause mechanical or physiological damage to trees such as deformations, growth reduction, weakening or even death, resulting in very important ecologic, economic and social impacts. Although they are considered one of the principal causes of disturbance to the plantation sector in the country there are no known pest and disease outbreaks applicable for mangroves in the area.

3.2.1 Significance

There are no reported pest attacks in the coastal mangrove area. However there have been few pest attacks in Sonneratiaceae family and Avicenniaceae family in the delta mangrove area. There is no reported insect 'tide watching mangrove moth' *Aucha velans*. There are reports of some propagules and seedlings in young stage being attacked by crabs but the significance is insignificant.

3.2.2 Likelihood

As a conservative measure it is estimated that there is likelihood for a pest or disease outbreak to occur in less than every 10 years time.

3.2.3 Score (LS)

Natural Risk Score (LS)						
		Likelihood				
		Less than every 10 years	Every 10 to less than 25 years	Every 25 to less than 50 years	Every 50 to less than 100 years	Once every 100 years or more, or risk is not applicable to project area
Significance	Catastrophic (70% or more loss of carbon stocks)	FAIL	30	20	5	0
	Devastating (50% to less than 70% loss of carbon stocks)	30	20	5	2	0
	Major (25% to less than 50% loss of carbon stocks)	20	5	2	1	0

Minor (5% to less than 25% loss of carbon stocks)	5	2	1	1	0
Insignificant (less than 5% loss of carbon stocks) or transient (full recovery of lost carbon stocks expected within 10 years of any event)	2	1	1	0	0
Minor (5% to less than 25% loss of carbon stocks)	2	1	1	0	0
No Loss	0	0	0	0	0

3.2.4 Mitigation

Pest and disease outbreaks are also preventable using proper measures. The staff of WIF has experience in implementing mitigation activities, which will be the following:


- a. Training - Training regarding the identification of the principal species that affect the health of the planted trees. Training will be conducted by personnel with experience in the identification of pests and diseases that harm mangroves.
- b. Monitoring – Project proponent will be in charge of monitoring the health of the planted trees. In addition, annual monitoring activities will be implemented. The objective is to identify the presence of pests and diseases in the planted trees.
- c. Evaluation - The incidence and severity of pests and diseases identified in the field will be determined during annual monitoring.

Due to the implementation of these activities, a mitigation factor of 0.50 is selected, resulting in a risk rating of 1.00 for pest and disease outbreaks.

3.3 Natural Risk – Extreme Weather

3.3.1 Significance

Rain & Floods - Most of the rain falls during the monsoons between mid-May and mid-November. It is cool and dry from mid-October to mid-February when temperatures begin to rise with pre-monsoon squalls in April and early May. Data from 2007-2016 indicate an annual rainfall of 3000 mm (122 inches) for the past 10 years. Results also indicate that the area has got approximately 130 days with rain per year. Heavy rains with thunder usually occur in the coastal region during the afternoons and late nights of April and May.



Source: Department of Meteorology and Hydrology, Myanmar

Table 4: Monthly rainfall in Pathein area for the period of 2007-2016

Month	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
	Inches	Inches	Inches	Inches	Inches	Inches	Inches	Inches	Inches	Inches
January	0.0	1.1	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.2
February	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
March	0.0	0.0	0.0	0.0	3.4	0.2	0.0	0.0	0.7	0.4
April	0.0	5.4	3.1	0.0	4.3	0.0	0.0	0.0	2.2	0.0
May	17.0	31.2	9.6	8.9	7.8	4.0	14.3	3.4	15.7	16.6
June	18.2	23.0	23.4	14.4	20.7	31.6	15.8	20.6	31.0	30.7
July	37.2	27.3	39.2	15.1	28.7	32.3	34.2	27.7	34.3	26.1
August	24.0	15.2	22.3	19.7	19.2	43.8	20.1	32.3	18.7	39.1
September	21.0	11.2	25.1	19.8	20.3	16.4	15.6	25.5	9.7	12.9
October	10.9	4.6	13.2	11.3	4.2	5.6	7.7	6.7	8.8	13.3
November	3.5	2.4	3.9	0.2	0.0	0.0	0.4	5.6	0.0	2.5
December	0.0	0.0	0.0	0.5	1.3	0.0	0.0	0.0	0.0	0.0
Total	131.7	122.3	139.9	89.8	111.0	133.8	108.1	121.8	121.1	141.7

Source: Department of Meteorology and Hydrology, Myanmar

Flooding has always been one of the major hazards in Myanmar, accounting for 11% of all disasters, second only to fire. Between 1910 and 2000, there were 12 major floods.

Different types of floods can be seen in different areas of Myanmar:

- **Riverine floods** in the river delta;
- **Flash floods** in the upper reaches of the river systems, normally the mountainous areas, caused by the heavy rainfall striking at head water region for considerable period of 1-3 days.
- **Localized floods** in urban area due to a combination of factors such as cloudburst, saturated soil, poor infiltration rates and inadequate or poorly built infrastructure (such as blocked drains) and in rural areas due to the breakage of water resistance structures as dams, dykes and levees

• **Flooding due to cyclone and storm surge** in the coastal areas

In general, the catchment areas of major rivers in the north and central zone are prone to riverine floods. The Southern Delta faces riverine floods when there is flood tide and high river water flow at the same period. In these areas, the lands are protected from floods by earthen dykes, but there were times when flood overpower the dykes and cause losses of lives and properties.

Following table indicates the past major flood events from 1997 to 2007. None of these floods have affected the project area and nearby.

S/N	Location	Date	No. of Affected Village Tracts and Villages	No. of Affected Households	No. of Affected Families	Affected Population	Deaths	Loss X 100,000 kyats
1	Homalin, Sagaing Division	8/7/97	5 villages in 2 wards	9,916	9,950	59,594	-	99(9000 USD)
2	Homalin, Sagaing Division	25/9/97	63 villages	3,867	3,867	28,399	-	238(21,636 USD)
3	Paungpyin Sagaing Division	11/7/97	5 villages	6,652	6,652	44,143	2	-
4	No. 2 Myoma Ward, Mawlaik, Sagaing Division	13/7/97	16 villages	3,622	36,22	21,897	-	-
5	No. 10 Myopaw Ward, Myikyina Township, Kachin state	9/7/97	10 villages	4,254	4,471	30,615	4	33(3,000 USD)
6	Kayan Township Yangon Division	7/6/97	-	1,189	1,189	5,878	-	-
7	Bago Division	7/7/97	All villages in 6 townships	6,629	6,629	33,768	50	-
8	Kayin State	1/8/97	All villages in 5 Townships	18,804	18,855	109,840	-	-
9	Hpa-an, Kayin State	13/8/91	6 villages	2,669	2,669	14,488	-	-
10	Kyauktaw, Rakhine State	10/7/97	-	1,030	1,030	5,983	-	50(4,545 USD)
11	Wundwin, Mandalay Division	2/6/01	Thetaw village	463	1,164	2,172	42	-
12	Monywa, Sagaing Division	18/8/02	-	9,178	9,460	48,746	-	2,535 (213,909 USD)
13	Salingyi Township Sagaing	18/8/02	-	1,647	1,702	10,216	-	-

	Division							
14	Kani Township, Sagaing Division	19/8/02	-	2,042	2,207	12,048	-	2,447(222,454 USD)
15	Kyaikmaraw Township, Mon Division	19/8/02	-	829	829	4,686	-	414(37,636 USD)
16	Hta/16 Ward, Shwepyithar Township, Yangon Division	8/9/02	-	886	886	4,541	-	-
17	Hkamti Township, Sagaing Division	3/7/03	-	1,230	1,536	8,131	-	-
18	Kyaukse District, Mandalay Division	9/10/06	All villages in 4 wards	1,443	1,763	7,045	-	351(31,909 USD)
19	Sagaing Division	11/9/06	6 villages near Yaymyetgyi Lake	770	791	5,372	-	-
20	Kyaukpadau ng Township, Mandalay Division	9/10/06	2 villages	14	18	97	16	-
21	Bhamo, Shwegu, Myitkyina Townships, Kachin State	24/7/07	-	600	600	3,167	-	-

Cyclone

Cyclones have historically caused the most destruction of natural disasters in Myanmar. During the period of 1947 to 2007, 34 cyclones crossed Myanmar coast, of which 7 cyclones claimed lives ([Hazard Profile of Myanmar, 2009](#)). Strong winds and storm surges (flooding) associated with the cyclones have caused the most damage. Of the cyclones that caused the greatest disaster, 11 of them made landfall in Rakhine State and 2 in the Ayeyarwady Delta Region. The most devastating cyclone by far was Cyclone Nargis of 2008.

Cyclone risk is highest during the month of May; though, during the last 100 years cyclones also have occurred during April, October, November and December.

Summary of Existing Investigations of Cyclone in Ayarwady Region and Rakhine coastal region


Date	Location	Cyclone Name
May, 2013	Northern coast of Rakhine	Viyaru

October, 2010	Northern coast of Rakhine	Giri
May, 2008	Ngapadudaw, Labutta, Mawlayeinkyine	Nargis
May, 2007	Northern coast of Rakhine	Akash
April, 2006	Irrawaddy, Southern coast of Rakhine	Mala
May, 1975	Patheingyi	Patheingyi

3.3.2 Likelihood

Referring to scientific data and publications, it is likely that the region may be affected from cyclones and other extreme weather conditions. To be conservative it is expected an extreme weather event once in every 10 - 25 years.

Cyclone landfall probability along Myanmar Coast (1947 – 2008)



Storm surge –

Storm surge is an extraordinary flooding due to a storm. It generally occurs due to waves generated by the strong wind in tropical revolving storms. The slope of the coastline is considered as one of the important factors controlling the intensity of storm surge.

According to the distribution of Storm surge hazard potential (in percent) of Townships in Ayeyarwady Division in the report Hazard Profile of Myanmar (2009) the project area (Pathein) has a 90% of low hazard potential due to storm hazard.

Hazard Zones	Low	Moderate	High	Very High
Ayeyarwady Division				
Bogale	0	15	60	25
Einme	100			
Kangyidaung	100			
Kyaiklat	55	45		
Kyaunggon	100			
Laputta	15	20	40	25
Maubin	100			
Mawlamyinegyun	50	30	20	0
Myaungmya	95	5		
Ngaputaw	60	12	15	13
Pantanaw	100			
Pathein	90	10		
Pyapon	0	25	55	20

3.3.3 Score (LS)

Natural Risk Score (LS)						
		Likelihood				
		Less than every 10 years	Every 10 to less than 25 years	Every 25 to less than 50 years	Every 50 to less than 100 years	Once every 100 years or more, or risk is not applicable to project area
Significance	Catastrophic (70% or more loss of carbon stocks)	FAIL	30	20	5	0
	Devastating (50% to less than 70% loss of carbon stocks)	30	20	5	2	0
	Major (25% to less than 50% loss of carbon stocks)	20	5	2	1	0
	Minor (5% to less than 25% loss of carbon stocks)	5	2	1	1	0
	Insignificant (less than 5% loss of carbon stocks) or transient (full recovery of lost carbon stocks expected within 10 years of any event)	2	1	1	0	0
	Minor (5% to less than 25% loss of	2	1	1	0	0

carbon stocks)					
No Loss	0	0	0	0	0

3.3.4 Mitigation

Mangrove species are quite adaptable for extreme weather events such as cyclones. An article published by Bahinipati & Sahu (2012) mention that studies have emerged at the global level, particularly following the aftermath of the 2004 Indian Tsunami, showing the importance of coastal vegetation in the context of reducing physical impacts. Tri et al. stated that mangrove planting is a ‘win-win’ solution for reducing future cyclonic risk and minimizing vulnerability in Vietnam. Adger et al. highlighted that the force of Tsunami waves was reduced by natural barriers like mangroves in Sri Lanka. Further, Dahdouh-Guebas et al. assert that the mangroves play a critical role in storm protection that based on their post-tsunami observations; they argued that it depends on the quality of the mangrove forests⁵(Annex 6).

Darryl E. Marois & William J. Mitsch (2015) in their review of coastal protection from tsunami and cyclones provided by mangroves highlighted the results from several numerical and physical models support the mitigating capabilities of mangroves for cyclone storm surges and small tsunamis. Studies on the economic valuation of mangroves have estimated coastal protection to be a major portion of their total value⁶.

Therefore it is evident that planting mangroves itself is a adaptation measure to reduce the impact of extreme weather events in the project area. The tree replacement program contemplates planting additional mangrove trees to compensate for expected mortality.

The implementation of these measures permits the utilization of a mitigation factor of 0.50, because of which the meteorological risk will be $5.00 \times 0.5 = 2.50$.

3.4 Natural Risk - Earthquakes

Earthquakes in Myanmar have resulted from two main sources namely:

- The continued subduction (with collision only in the north) of the northward-moving Indian Plate underneath the Burma Platelet (which is a part of the Eurasian Plate) at an average rate of 3.5 cm/yr; and

⁵ http://www.indiawaterportal.org/sites/indiawaterportal.org/files/ajedm_paper_chandra_and_nirmal_0.pdf

⁶ <http://www.tandfonline.com/doi/full/10.1080/21513732.2014.997292>

- The northward movement of the Burma Platelet from a spreading centre in the Andaman Sea at an average rate of 2.5–3.0 cm/yr (Bertrand et al., 1998; Curray, 2005).


The following map indicates earthquake occurrences in the Myanmar region (Annex 7: [Hazard Profile of Myanmar, 2009](#))

The seismic records show that there have been at least 16 major earthquakes with Richter Scale (RS) \geq 7.0 within the territory of Myanmar in the past 170 years. The highest intensity zone designated for Myanmar is the Destructive Zone, which is equivalent to Modified Mercalli (MM) class IX. There are four areas in that very vulnerable zone; namely, Bago-Phyu, Mandalay-Sagaing-Tagaung, Putao-Tanaing, and Kale-Homalin areas. Although the latter two have major earthquake hazards, they may be less vulnerable as are sparsely populated.

Important cities and towns that lie in Zone IV (Severe Zone, with probable maximum range of ground acceleration 0.3 – 0.4 g) are Taungoo, Taungdwingyi, Bagan-Nyaung-U, Kyaukse, Pyin Oo Lwin, Shwebo, Wuntho, Hkamti, Haka, Myitkyina, Taunggyi, and Kunglong. Yangon spans the boundary between Zone II and Zone III, with the old and new satellite towns in the eastern part in Zone III, and the original City in Zone II.

Based on scientific studies it can be conservatively concluded that although Myanmar has the risk of earthquakes, the project area has not had any affects from earthquakes during the past hence this natural risk has not been considered.

Earthquake occurrences in the Myanmar region



Earthquake data: from NEIC for 1964 – 2004; from other sources for 1912 – 1963; data are in Richter Magnitude (modified after Tint Lwin Swe, 2006)

3.4.1 Significance

The risk of earthquakes is not applicable to the project area.

3.4.2 Likelihood

The likelihood is not applicable.

3.4.3 Score (LS)

Natural Risk Score (LS)						
		Likelihood				
		Less than every 10 years	Every 10 to less than 25 years	Every 25 to less than 50 years	Every 50 to less than 100 years	Once every 100 years or more, or risk is not applicable to project area
Significance	Catastrophic (70% or more loss of carbon stocks)	FAIL	30	20	5	0
	Devastating (50% to less than 70% loss of carbon stocks)	30	20	5	2	0
	Major (25% to less than 50% loss of carbon stocks)	20	5	2	1	0
	Minor (5% to less than 25% loss of carbon stocks)	5	2	1	1	0
	Insignificant (less than 5% loss of carbon stocks) or transient (full recovery of lost carbon stocks expected within 10 years of any event)	2	1	1	0	0
	Minor (5% to less than 25% loss of carbon stocks)	2	1	1	0	0
	No Loss	0	0	0	0	0

3.4.4 Mitigation

Since the risk rating is 0, no mitigation activities are discussed here.

3.5 Natural Risk - Tsunami

3.5.1 Significance

The tsunami induced by the 2004 Sumatra Earthquake (M9.1) caused around 60 missing and dead in the delta area of southern Myanmar. It also caused USD 500 million in losses, corresponding to 1.25% of the GDP at that time. There are other records of tsunamis induced by earthquakes in 1750 and in 1930. The tsunami in 1930 affected around 500 victims in Myanmar⁷.

⁷ ADB (2005). From Disaster to Reconstruction: A Report on ADB's Response to the Asian Tsunami

3.5.2 Likelihood

Following is a summary known tsunami that affected the Ayeyarwady Delta area.

Date/Year	Affected Region
1750	Myanmar coast
1930	Myanmar coast
Dec.2004	The delta area of southern Myanmar

According to the reference, likelihood for a tsunami affecting the area is once in 100 years or more.

3.5.3 Score (LS)

		Natural Risk Score (LS)				
		Likelihood				
		Less than every 10 years	Every 10 to less than 25 years	Every 25 to less than 50 years	Every 50 to less than 100 years	Once every 100 years or more, or risk is not applicable to project area
Significance	Catastrophic (70% or more loss of carbon stocks)	FAIL	30	20	5	0
	Devastating (50% to less than 70% loss of carbon stocks)	30	20	5	2	0
	Major (25% to less than 50% loss of carbon stocks)	20	5	2	1	0
	Minor (5% to less than 25% loss of carbon stocks)	5	2	1	1	0
	Insignificant (less than 5% loss of carbon stocks) or transient (full recovery of lost carbon stocks expected within 10 years of any event)	2	1	1	0	0
	Minor (5% to less than 25% loss of carbon stocks)	2	1	1	0	0
	No Loss	0	0	0	0	0

3.5.4 Mitigation

Since the risk rating is 0, no mitigation activities are discussed here.

EM-DAT: The OFDA/CRED International Disaster Database – www.emdat.be
 Japan International Cooperation Agency (JICA) (2012): "Data Collection Survey on ASEAN Regional Collaboration in Disaster Management"

UNDP (2011). Multi-hazard Risk Assessment in the Rakhine State of Myanmar

UNDP (2012). Multi-hazard Risk Assessment in Nargis Affected Areas, Myanmar

Overall Non-Permanence Risk Rating and Buffer Determination

Risk Category		Rating
a)	Internal risk	0.00
b)	External risk	4.00
c)	Natural Risk	3.50
Overall risk rating (a + b + c)		10
<p>Note: Overall risk rating shall be rounded up to the nearest whole percentage</p> <p>The minimum risk rating shall be 10, regardless of the risk rating calculated</p> <p>If the overall risk rating is over 60 then the project fails the entire risk analysis</p>		
Total Risk Assessment		10%

Annexes

- Annex 1 Species distribution
- Annex 2 Management structure
- Annex 3 World Governance Index for Myanmar
- Annex 4 Proof for UNREDD partner country
- Annex 5 Myanmar Disaster Management Reference Handbook 2017
- Annex 6 Mangrove Conservation as Sustainable Adaptation to Cyclonic Risk
- Annex 7 Hazard Profile of Myanmar 2009
- Annex 8 VCS Risk Report Calculation Tool, v3.1